

DCE090ZX1



36V(18Vx2) LXT BRUSHLESS 9" POWER CUTTER, TOOL ONLY

- · 3-1/2" depth of cut, Active Feedback Technology (AFT), soft start, electric brake
- · Brushless (BL) DC motor with high power to weight and size ratio generates less heat buildup and is ideal for heavy-duty applications
- Active Feedback Sensing Technology (AFT) automatically shuts down the tool if there is a sudden drop in rotation speed (e.g. kick-back)
- · LED job light illuminates cutting area
- · Soft start feature gradually increases speed to eliminate start up shock
- Electronic current limiter prevents motor burnout caused by overloading
- · Electric brake stops blade 2-4 seconds after the trigger is released for increased operator safety
- · eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions

GET A FREE

Y-00359 18V LXT DUAL PORT RAPID CHARGER STARTER KIT, DC18RD, 5.0Ah x2

























40Vmax XGT BRUSHLESS 13 LBS DEMOLITION HAMMER SDS-MAX w/AWS, TOOL ONLY

- · SDS-MAX shank, variable speed, constant speed control, soft start, LED job light
- Brushless DC motor generates less heat buildup and is ideal for prolonged use in manufacturing / production applications
- · AWS (Auto-Start Wireless System) uses Bluetooth technology to communicate between tool and vacuum and enable wireless control when used with Makita AWS cordless tools
- · Anti-Vibration Technology (AVT) actively counteracts vibration of tool for greatly reduced transmission to operator
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions
- Constant speed control maintains constant speed under heavy load
- · Soft start feature gradually increases speed to eliminate start up shock
- · 5-stage variable speed dial and variable speed trigger allow operator to adjust speed based on materials or application

GET A FREE

BULK BL4040 (191E81-6X) 40Vmax XGT BATTERY, 4.0Ah x1



















40Vmax XGT BRUSHLESS 1-3/16" ROTARY HAMMER SDS-PLUS w/AWS, DX10, TOOL ONLY

- · SDS-PLUS shank, hammer & rotation / hammer only / rotation only
- Variable speed, reversible, constant speed control, electric brake, anti-restart
- Brushless DC motor generates less heat buildup and is ideal for prolonged use in manufacturing / production applications
- · AWS (Auto-Start Wireless System) uses Bluetooth technology to communicate between tool and vacuum and enable wireless control when used with Makita AWS cordless tools
- Anti-Vibration Technology (AVT) actively counteracts vibration of tool for greatly reduced transmission to operator
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions
- · Active Feedback Sensing Technology (AFT) automatically shuts down the tool if there is a sudden drop in rotation speed (e.g. kick-back)
- · Constant speed control maintains speed under heavy load

GET A FREE BULK BL4040 (191E81-6X) 40Vmax XGT BATTERY,

4.0Ah x1





















40Vmax XGT BRUSHLESS 1-1/8" ROTARY HAMMER SDS-PLUS w/AWS, TOOL ONLY

- · SDS-PLUS shank, hammer & rotation / hammer only / rotation only, variable speed
- Brushless DC motor generates less heat buildup and is ideal for prolonged use in manufacturing / production applications
- · AWS (Auto-Start Wireless System) uses Bluetooth technology to communicate between tool and vacuum and enable wireless control when used with Makita AWS cordless tools
- Anti-Vibration Technology (AVT) actively counteracts vibration of tool for greatly reduced transmission to operator
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions
- · Active Feedback Sensing Technology (AFT) automatically shuts down the tool if there is a sudden drop in rotation speed (e.g. kick-back)

GET A FREE BULK BL4040 (191E81-6X) 40Vmax XGT BATTERY, 4.0Ah x1
















HR010GZ





40Vmax XGT BRUSHLESS 13/16" COMPACT ROTARY HAMMER SDS-PLUS w/AWS, TOOL ONLY

- · SDS-PLUS shank, hammer & rotation / hammer only / rotation only, variable speed, constant speed control
- Brushless DC motor generates less heat buildup and is ideal for prolonged use in manufacturing / production applications
- AWS (Auto-Start Wireless System) uses Bluetooth technology to communicate between tool and vacuum and enable wireless control when used with Makita AWS cordless tools
- Anti-Vibration Technology (AVT) actively counteracts vibration of tool for greatly reduced transmission to operator
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions
- · Constant speed control maintains speed under heavy load

GET A FREE

BULK BL4040 (191E81-6X) 40Vmax XGT BATTERY, 4.0Ah x1















VR001CZ

CONNECTX

ConnectX 1-11/16" x 4.9 FT CONCRETE VIBRATOR, TOOL ONLY

- · Powered by 36V power system using the Makita PDC01 or PDC1200A02 Portable Power Pack
- ConnectX is engineered for extended, non-stop operation while maintaining an impressively lightweight tool body
- Boasts an extraordinary runtime of up to 300 minutes with the PDC1200A02 power pack
- Our high-efficiency motor concrete vibrators integrate motors into the head, ensuring minimal maintenance and uninterrupted vibration efficiency
- Ideal for any project, these vibrators maintain consistent and stable vibrations throughout their entire length, surpassing standard models
- The remarkable PDC1200A02, a portable power pack designed to redistribute battery weight from the tool body to the back of the harness, reducing operating fatigue
- Meticulously crafted to drastically minimize vibration transmission to the operator while mitigating the toll of prolonged vibration exposure
- Conquer concrete challenges with finesse using the expansive vibrator section of our VR models, delivering 12,000VPM
- Upgrade from traditional gas equipment to achieve top performance, lower noise, minimal maintenance, and zero emissions
- Engineered and built as durable machinery to outlast traditional vibrators on the market. Backed by a 3-year warranty for added assurance
- · Ideal for vibrating floors, pillars, foundations, columns, walls, walkways, and more

GET A FREE

PDC01X2 18V LXT PORTABLE **BACKPACK POWER SUPPLY,** 5.0Ah x2KIT



















ConnectX 1-11/16" x 9.8 FT CONCRETE VIBRATOR, TOOL ONLY

- · Powered by 36V power system using the Makita PDC01 or PDC1200A02 Portable Power Pack
- ConnectX is engineered for extended, non-stop operation while maintaining an impressively lightweight tool body
- Boasts an extraordinary runtime of up to 300 minutes with the PDC1200A02 power pack
- Our high-efficiency motor concrete vibrators integrate motors into the head, ensuring minimal maintenance and uninterrupted vibration efficiency
- Ideal for any project, these vibrators maintain consistent and stable vibrations throughout their entire length, surpassing standard models
- The remarkable PDC1200A02, a portable power pack designed to redistribute battery weight from the tool body to the back of the harness, reducing operating fatigue
- Meticulously crafted to drastically minimize vibration transmission to the operator while mitigating the toll of prolonged vibration exposure
- Conquer concrete challenges with finesse using the expansive vibrator section of our VR models, delivering 12,000VPM
- Upgrade from traditional gas equipment to achieve top performance, lower noise, minimal maintenance, and zero emissions
- Engineered and built as durable machinery to outlast traditional vibrators on the market. Backed by a 3-year warranty for added assurance
- · Ideal for vibrating floors, pillars, foundations, columns, walls, walkways, and more

GET A FREE

PDC01X2 18V LXT PORTABLE **BACKPACK POWER SUPPLY,** 5.0Ah x2KIT















VR003CZ



ConnectX 2" x 4.9 FT CONCRETE VIBRATOR, TOOL ONLY

- · Powered by 36V power system using the Makita PDC01 or PDC1200A02 Portable Power Pack
- ConnectX is engineered for extended, non-stop operation while maintaining an impressively lightweight tool body
- Boasts an extraordinary runtime of up to 200 minutes with the PDC1200A02 power pack
- Our high-efficiency motor concrete vibrators integrate motors into the head, ensuring minimal maintenance and uninterrupted vibration efficiency
- Ideal for any project, these vibrators maintain consistent and stable vibrations throughout their entire length, surpassing standard models
- The remarkable PDC1200A02, a portable power pack designed to redistribute battery weight from the tool body to the back of the harness, reducing operating fatigue
- Meticulously crafted to drastically minimize vibration transmission to the operator while mitigating the toll of prolonged vibration exposure
- Conquer concrete challenges with finesse using the expansive vibrator section of our VR models, delivering 12,000VPM
- Upgrade from traditional gas equipment to achieve top performance, lower noise, minimal maintenance, and zero emissions
- Engineered and built as durable machinery to outlast traditional vibrators on the market. Backed by a 3-year warranty for added assurance
- · Ideal for vibrating floors, pillars, foundations, columns, walls, walkways, and more

GET A FREE

PDC01X2 18V LXT PORTABLE **BACKPACK POWER SUPPLY,** 5.0Ah x2KIT















VR004CZ



ConnectX 2" x 9.8 FT CONCRETE VIBRATOR, TOOL ONLY

- · Powered by 36V power system using the Makita PDC01 or PDC1200A02 Portable Power Pack
- ConnectX is engineered for extended, non-stop operation while maintaining an impressively lightweight tool body
- Boasts an extraordinary runtime of up to 200 minutes with the PDC1200A02 power pack
- Our high-efficiency motor concrete vibrators integrate motors into the head, ensuring minimal maintenance and uninterrupted vibration efficiency
- Ideal for any project, these vibrators maintain consistent and stable vibrations throughout their entire length, surpassing standard models
- The remarkable PDC1200A02, a portable power pack designed to redistribute battery weight from the tool body to the back of the harness, reducing operating fatigue
- Meticulously crafted to drastically minimize vibration transmission to the operator while mitigating the toll of prolonged vibration exposure
- Conquer concrete challenges with finesse using the expansive vibrator section of our VR models, delivering 12,000VPM
- Upgrade from traditional gas equipment to achieve top performance, lower noise, minimal maintenance, and zero emissions
- Engineered and built as durable machinery to outlast traditional vibrators on the market. Backed by a 3-year warranty for added assurance
- · Ideal for vibrating floors, pillars, foundations, columns, walls, walkways, and more

GET A FREE

PDC01X2 18V LXT PORTABLE **BACKPACK POWER SUPPLY,** 5.0Ah x2KIT

















36V(18Vx2) LXT BRUSHLESS 10" SLIDE COMPOUND MITRE SAW, TOOL ONLY

- · Incorporates Makita's Deep and Exact Cutting Technology (DXT) up to 12" cuts in 2x material, 6-5/8" nested crown moulding and 5-1/4" vertical baseboard
- · Automatic torque Drive Technology (ADT) feature adjusts the torque and speed according to the load condition, enabling rapid movement between high speed and high torque applications
- Rail forward design enables saw to be placed against wall to maximize effective workspace
- · 3 stage gear reduction system greatly increases capacity when cutting vertical baseboard or nested crown molding
- 1-3/16" guide rail diameter provides increased stability and cutting precision
- · Integrated guide fence and lower fence increases rigidity and support of materials
- Fence design allows fence to be secured to holders to prevent damage and/or loss
- · Front bevel knob enables easy adjustment without reaching for operator convenience and precise setting of bevel angle

GET A FREE

Y-00359 18V LXT DUAL PORT RAPID CHARGER STARTER KIT, DC18RD, 5.0Ah x2























40Vmax XGT BRUSHLESS 7" POLISHER, 5.0Ah x1KIT

- · Variable speed, soft start, constant speed control, anti-restart
- · Brushless DC motor with high power to weight ratio generates less heat buildup and is ideal for prolonged use in manufacturing/production applications
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions
- · Battery positioned to prevent impact or damage to materials and protected by elastomer bumpers
- Electric brake stops polishing pad 3-5 seconds after trigger is released for increased operator safety
- · Constant speed control maintains consistent speed under heavy load
- · Anti-restart features prevents accidental startup of tool during battery changing when switch is locked in the on position
- · Soft start feature gradually increases speed to eliminate start up shock
- · Lock-on enables easy continuous operation with reduced operator strain and fatigue
- · Lock-off button prevents accidental start up
- · Integrated dust screens act as additional protection against dust, dirt and debris

GET A FREE

BULK BL4040 (191E81-6X) 40Vmax XGT BATTERY, 4.0Ah x1




















36V(18Vx2) LXT BRUSHLESS 14" TOP HANDLE CHAINSAW, 5.0Ah x2KIT

- Fast, variable speed (0-3,940 feet per minute) equivalent to a 30cc gasoline chainsaw
- Brushless DC motor with high power to weight ratio generates less heat buildup
- Torque boost mode powers through thick or hard branches
- · Variable speed control by trigger
- · Soft start for motor protection
- · Electric chain brake and kickback brake
- Chain oil adjustment
- · Oil capacity display window
- · Captive nut prevent loss of nut when removing sprocket cover to replace guide bar or saw chain

GET A FREE

BL1850B(196681-7) 18V LXT BATTERY 5.0Ah x2 TWIN PACK


















VS001GZ





40Vmax XGT BRUSHLESS 24 L HEPA VACUUM SWEEPER, TOOL ONLY

- Cordless XGT Vacuum Sweeper with HEPA filtration to take care of the messiest cleanup tasks both indoors and outdoors
 24L Collection capacity with L-class HEPA filtration with efficiency of 99% or greater for 0.3 micron in diameter particles
 Total cleaning width of 18-7/8" (480 mm) with the dual main brush and 25-1/2" (650 mm) with side brush in use
- · eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions
- · Equipped with two main brushes located at the bottom of the machine it is capable of cleaning dust or waste of all sizes from small dust particles to large debris such as 500ml PET bottles
- · Rotation speed of the main brush / side brush can be switched between standard and quiet mode according to the work environment

GET A FREE

T-04101 40Vmax XGT **DUAL PORT RAPID CHARGER** STARTER KIT, DC40RB, 8.0Ah x2

















